
Oncology/Haematology pipeline



* Vinorelbine was approved by National Health Authorities (before EU centralized procedure implementation)

This display includes ongoing clinical trials for both approved and investigational compounds. Inclusion in this display does not imply regulatory approval for these compounds or all indications. Approved products should be used in accordance with their prescribing information. Information about the trials can be found at <u>www.ClinicalTrials.gov</u>

Oncology/Haematology pipeline

INN / Compound	Class	Condition or disease	Discovery	Preclinical	Phase I	Phase II	Phase III	In Registration	EMA Approve
Encorafenib ¹ t / Binimetinib ¹ (± other agents)	Targeted therapy	Unresectable or metastatic <i>BRAF</i> V600-mutant melanoma							→
		Stage II <i>BRAF</i> V600-mutant melanoma, in adjuvant setting							
		Metastatic <i>BRAF</i> V600E-mutant colorectal cancer after prior systemic therapy							→ 🔽
		Previously untreated metastatic <i>BRAF</i> V600E- mutant colorectal cancer				\rightarrow			
		Previously treated metastatic <i>BRAF</i> V600E- mutant colorectal cancer in Chinese patients				\rightarrow			
		Metastatic <i>BRAF</i> V600E-mutant Non-Small Cell Lung Cancer*				\rightarrow			
		Metastatic <i>BRAF</i> V600E-mutant Non-Small Cell Lung Cancer in Chinese patients				\rightarrow			
Neratinib ²	Targeted therapy	HER2 amplified/overexpressed/HR+ early breast cancer (extended adjuvant post trastuzumab based therapy)							→
Tabelec- leucel ³ im	T-cell munothera	Epstein-Barr virus associated post-transplan py lymphoproliferative disease (EBV+ PTLD)	t						


† Encorafenib + cetuximab is approved for BRAFV600E mutant mCRC, after prior systemic therapy; encorafenib + binimetinib is approved for unresectable or metastatic BRAF-mutant melanoma.

* Clinical development under Pfizer sponsorship.

1. In licensing with Array (Pfizer inc. Group), Boulder, USA; 2. In licensing with PUMA Biotechnology inc., Los Angeles, USA; 3. In licensing with ATARA Biotherapeutics inc., South San Francisco, USA.

This display includes ongoing clinical trials for both approved and investigational compounds. Inclusion in this display does not imply regulatory approval for these compounds or all indications. Approved products should be used in accordance with their prescribing information. Information about the trials can be found at <u>www.ClinicalTrials.gov</u> Efficacy and safety of encorafenib, binimetinib and neratinib have not been established for investigational uses.

Oncology/Haematology pipeline



* VISTA, V-domain Ig suppressor of T-cell Activation.

4. In co-development partnership with Scorpion Therapeurics Inc., Boston, USA. The sponsor of these studies could be Pierre Fabre Medicament or Scorpion Therapeutics Inc.

This display includes ongoing clinical trials for both approved and investigational compounds. Inclusion in this display does not imply regulatory approval for these compounds or all indications. Approved products should be used in accordance with their prescribing information. Information about the trials can be found at <u>www.ClinicalTrials.gov</u>